




Ø OF LARGEST PIPE IN MANHOLE (mm)	INTERNAL DIAMETER OF MANHOLE (mm)
LESS THAN 375	1200
375 - 700	1500
750 - 900	1800



- NOTES:
- DO NOT SCALE, ANY DISCREPANCIES SHALL BE HIGHLIGHTED TO THE DESIGNER FOR CONFIRMATION.
 - SUDS SYSTEMS TO BE CONSTRUCTED PRIOR TO, OR AT THE SAME TIME AS THE ACCESS TRACK AND COMPOUND. INTERIM MEASURES SUCH AS THE PLACEMENT OF SILT FENCES TO BE USED AROUND WATERCOURSES AND RETAINED IN PLACE UNTIL SUDS ARE ESTABLISHED AND PROVIDING SUFFICIENT SILT REMOVAL.
 - WHERE RESEEDING IS REQUIRED, NATIVE SPECIES SEED MIX SHALL BE USED BASED UPON THE SURROUNDING HABITAT. THE PLANTING SHALL BE CAPABLE OF RESISTING DROUGHT CONDITIONS.
 - AREAS STRIPPED OF VEGETATION SHOULD BE KEPT TO A MINIMUM.
 - SILT LEVELS AT DETENTION BASIN TO BE VISUALLY INSPECTED AS PART OF AN ONGOING MAINTENANCE PROGRAMME DURING THE CONSTRUCTION PHASE. WHERE CHECK DAMS BECOME CLOGGED WITH SILT OR VEGETATION, STONE CHECK DAM TO BE REMOVED AND DISPOSED OF APPROPRIATELY.
 - SUDS DETAILS, DIMENSIONS AND LEVELS MAY BE MODIFIED DURING DETAILED DESIGN. CHANGES WILL ADHERE TO THE REQUIREMENTS AND PHILOSOPHY IN THE SURFACE WATER MANAGEMENT PLAN AND ADDENDUM.

SHEET 1 OF 3

ISSUE	DRAWN	CHKD	APPD	DATE	REVISION NOTES
1	BM	WM	MC	2023-12-22	FIRST ISSUE

PURPOSE: PLANNING COORDINATES: N/A

SCALE: AS SHOWN @ A1 DATUM: N/A



LAYOUT DWG: N/A T-LAYOUT NO.: N/A

PROJECT TITLE: CONTULLICH ENERGY STORAGE FACILITY



DRAWING TITLE: TYPICAL DRAINAGE DETAILS

RES DRAWING NUMBER: 05196-RES-DRN-DR-PT-001	REV: 1
---	--------

THIS DRAWING IS THE PROPERTY OF RENEWABLE ENERGY SYSTEMS LIMITED AND NO REPRODUCTION MAY BE MADE IN WHOLE OR IN PART WITHOUT PERMISSION




TYPICAL SECTION OF ATTENUATION BASIN
SCALE - 1:20



TYPICAL DRAINAGE CHANNEL
SCALE - 1:20

OVERLAND FLOW CONTROL
SCALE - 1:20



TYPICAL DRAINAGE CHANNEL - LONG SECTION
SCALE - 1:20

- NOTES:**
- DO NOT SCALE, ANY DISCREPANCIES SHALL BE HIGHLIGHTED TO THE DESIGNER FOR CONFIRMATION.
 - SUDS SYSTEMS TO BE CONSTRUCTED PRIOR TO, OR AT THE SAME TIME AS THE ACCESS TRACK AND COMPOUND. INTERIM MEASURES SUCH AS THE PLACEMENT OF SILT FENCES TO BE USED AROUND WATERCOURSES AND RETAINED IN PLACE UNTIL SUDS ARE ESTABLISHED AND PROVIDING SUFFICIENT SILT REMOVAL.
 - WHERE RESEEDING IS REQUIRED, NATIVE SPECIES SEED MIX SHALL BE USED BASED UPON THE SURROUNDING HABITAT. THE PLANTING SHALL BE CAPABLE OF RESISTING DROUGHT CONDITIONS.
 - AREAS STRIPPED OF VEGETATION SHOULD BE KEPT TO A MINIMUM.
 - SILT LEVELS AT DETENTION BASIN TO BE VISUALLY INSPECTED AS PART OF AN ONGOING MAINTENANCE PROGRAMME DURING THE CONSTRUCTION PHASE. WHERE CHECK DAMS BECOME CLOGGED WITH SILT OR VEGETATION, STONE CHECK DAM TO BE REMOVED AND DISPOSED OF APPROPRIATELY.
 - SUDS DETAILS, DIMENSIONS AND LEVELS MAY BE MODIFIED DURING DETAILED DESIGN. CHANGES WILL ADHERE TO THE REQUIREMENTS AND PHILOSOPHY IN THE SURFACE WATER MANAGEMENT PLAN AND ADDENDUM.

SHEET 2 OF 3

1	BM	VM	MC	2023-12-22	FIRST ISSUE
ISSUE	DRAWN	CHKD	APPD	DATE	REVISION NOTES
PURPOSE					COORDINATES
PLANNING					N/A
SCALE					DATUM
AS SHOWN @ A1					N/A
LAYOUT DWG					T.LAYOUT NO.
N/A					N/A


PROJECT TITLE
CONTULLICH ENERGY STORAGE FACILITY

DRAWING TITLE
TYPICAL DRAINAGE DETAILS


RES DRAWING NUMBER
05196-RES-DRN-DR-PT-001 REV **1**

THIS DRAWING IS THE PROPERTY OF RENEWABLE ENERGY SYSTEMS LIMITED AND NO REPRODUCTION MAY BE MADE IN WHOLE OR IN PART WITHOUT PERMISSION







TYPICAL SILT FENCE BOTTOM OF SLOPE
SCALE - NTS



SILT FENCE TEXTILE DETAIL
SCALE 1:20



ANCHORED TYPE OPTION
SCALE 1:20



BURIED TYPE OPTION
SCALE 1:25

NOTES:

1. DO NOT SCALE, ANY DISCREPANCIES SHALL BE HIGHLIGHTED TO THE DESIGNER FOR CONFIRMATION.
2. SUDS SYSTEMS TO BE CONSTRUCTED PRIOR TO, OR AT THE SAME TIME AS THE ACCESS TRACK AND COMPOUND. INTERIM MEASURES SUCH AS THE PLACEMENT OF SILT FENCES TO BE USED AROUND WATERCOURSES AND RETAINED IN PLACE UNTIL SUDS ARE ESTABLISHED AND PROVIDING SUFFICIENT SILT REMOVAL.
3. WHERE RESEEDING IS REQUIRED, NATIVE SPECIES SEED MIX SHALL BE USED BASED UPON THE SURROUNDING HABITAT. THE PLANTING SHALL BE CAPABLE OF RESISTING DROUGHT CONDITIONS.
4. AREAS STRIPPED OF VEGETATION SHOULD BE KEPT TO A MINIMUM.
5. SILT LEVELS AT DETENTION BASIN TO BE VISUALLY INSPECTED AS PART OF AN ONGOING MAINTENANCE PROGRAMME DURING THE CONSTRUCTION PHASE. WHERE CHECK DAMS BECOME CLOGGED WITH SILT OR VEGETATION, STONE CHECK DAM TO BE REMOVED AND DISPOSED OF APPROPRIATELY.
6. SUDS DETAILS, DIMENSIONS AND LEVELS MAY BE MODIFIED DURING DETAILED DESIGN. CHANGES WILL ADHERE TO THE REQUIREMENTS AND PHILOSOPHY IN THE SURFACE WATER MANAGEMENT PLAN AND ADDENDUM.

SHEET 3 OF 3

1	BM	VM	MC	2023-12-22	FIRST ISSUE
ISSUE	DRAWN	CHKD	APPD	DATE	REVISION NOTES
PURPOSE					COORDINATES
PLANNING					N/A
SCALE					DATUM
AS SHOWN @ A1					N/A
LAYOUT DWG					T.LAYOUT NO.
N/A					N/A

PROJECT TITLE
CONTULLICH ENERGY STORAGE FACILITY

DRAWING TITLE
TYPICAL DRAINAGE DETAILS

RES DRAWING NUMBER
05196-RES-DRN-DR-PT-001

REV
1

THIS DRAWING IS THE PROPERTY OF RENEWABLE ENERGY SYSTEMS LIMITED AND NO REPRODUCTION MAY BE MADE IN WHOLE OR IN PART WITHOUT PERMISSION



BEAUFORT COURT,
EGG FARM LANE,
KNOS LANGLEY,
HERTS WD4 6LR, UK
TEL: +44 (0) 1923 290000
WWW.RES-GROUP.COM